



## **Cube Ice Makers LD-LCIM-B10**

**Labodam Equipment Ltd.**

**[info@labodam.com](mailto:info@labodam.com) | [www.labodam.com](http://www.labodam.com)**

# Cube Ice Makers LD-LCIM-B10

## Overview

Cube Ice maker series comes with insulated ice storage bin and door which minimizes air condensation and water formation on equipment surface. It produces steady and similar shape ice cubes with high transparency. It serves safe, hygienic, odorless and best tasting cube ices which can be used for all types of functions. The machine is configured using high quality material and advanced technology at par with ISO and CE standards. It has integrated design for maximum energy saving and water conservation.

## Features:

- Corrosion resistant stainless steel is used
- R404A refrigerant is used as refrigerant
- User friendly technology
- Overload protection
- Constructed with stainless steel and rigid plastic cabinets and other high-quality components
- Highly efficient, economical operation
- Fully automatic control, indicator system to indicate of ice and water
- Produces edible ice using potable water
- Ambient temp. 20 Â°C, Inlet water temp. 10 Â°C

## Applications:

Cube ice makers are widely used in restaurants and other food service operations for cooling water and beverages. They are ideal for bars to enhance the appearance of alcoholic drinks due to clarity of ice. Often used in laboratories, hotels, marine fisheries, chemical industries, pharmaceutical industries etc.

## Specifications:

|                             |                        |
|-----------------------------|------------------------|
| <b>Weight</b>               | 230 kgs                |
| <b>Capacity</b>             | 680 kgs / 24 hrs       |
| <b>Dry Filter</b>           | Danfoss(Denmark)       |
| <b>Cooling Fan</b>          | EBM(Germany)           |
| <b>Cooling Mode</b>         | Air/Water Cooling      |
| <b>Certification</b>        | CE                     |
| <b>Exterior Finish</b>      | 304/2B Stainless steel |
| <b>Compressor Brand</b>     | Tecumseh (France)      |
| <b>Standard Voltage</b>     | 1P / 220 V / 50 Hz     |
| <b>Power Consumption</b>    | 2800 W                 |
| <b>Refrigeration System</b> | R404A                  |

|                              |                                                        |
|------------------------------|--------------------------------------------------------|
| <b>Storage Bin Capacity</b>  | 460 kgs                                                |
| <b>Dimension (W x D x H)</b> | 840 x 1290 x 830 mm; 1300 x 950 x 1230 mm<br>(2.39CBM) |